



**IPEX**

**NOVAFORM™**  
PVC LINER

**LETTER OF COMPLIANCE**

**Scope:**

This letter of compliance covers the requirements for **NovaForm™ PVC Liner**. These products meet or exceed performance standards set by the American Society for Testing and Materials (ASTM).

**NovaForm™ PVC Liners** are used for sewer and conduit rehabilitation, and are available in the following sizes:

DR-35	6" through 12" (150 mm – 300 mm)
DR-41	8" through 12" (200 mm – 300 mm)
DR-50	15" (375 mm)

**Material:**

PVC Poly(Vinyl Chloride) used in the manufacturing of **NovaForm™ PVC Liner** complies with ASTM D1784 “*Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds*”, and meets or exceeds the material requirements in ASTM F1504 standard.

**Extruded Pipe:**

**NovaForm™ PVC Liner** conforms to ASTM F1504 “*Standard Specification for Folded Poly(Vinyl Chloride) (PVC) Pipe for Existing Sewer and Conduit Rehabilitation*”; the testing being conducted on formed specimens as required by the standard.

**Marking:**

**NovaForm™ PVC Liner** is marked as prescribed in the above applicable standards to indicate size of the pipe, material designation, expanded dimension ratio and manufacturer’s name or trademark.

**Colour Coding:**

**NovaForm™ PVC Liner** is colour-coded white.

**Note:** *Modifications to our products may occur at any time without notice. Should you require that a product meets a given standard or application, you must ensure that the information provided herein is current by consulting with an IPEX Inc. representative.*

Best Regards,



Jeff Gallant  
Vice President, Manufacturing

**For questions related to these products, Do Not Call the undersigned.**  
**Please contact your local IPEX Inc. Customer Service Representative.**

Issue Date: 2018-03-05